

EU type examination certificate

EU-Baumusterprüfbescheinigung

CE-0085BN0609

Product Identification No.
Produkt-Identnummer

Field of Application <i>Anwendungsbereich</i>	EU Gas Appliances Regulation (EU/2016/426) <i>EU-Gasgeräteverordnung (EU/2016/426)</i>
Owner of Certificate <i>Zertifikatinhaber</i>	Riello S.p.A. Via Ing. Pilade Riello, 7, I-37045 Legnago (VR)
Distributor <i>Vertreiber</i>	Riello S.p.A. Via Ing. Pilade Riello, 7, I-37045 Legnago (VR)
Product Category <i>Produktart</i>	Burners for boilers: Fan-assisted gas burner (3502)
Product Description <i>Produktbezeichnung</i>	Fan-assisted gas burner
Model <i>Modell</i>	915 M; 916 M; 917 M; 918 M
Countries of Destination <i>Bestimmungsländer</i>	AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MT, NL, NO, PL, PT, RO, SE, SK, TR
Test Reports <i>Prüfberichte</i>	type testing: B-G 1043-05/18 from 26.01.2018 (TSG)
Test Basis <i>Prüfgrundlagen</i>	EU/2016/426 A III B (09.03.2016) DIN EN 676 (01.11.2008)

Validity / File no. 21.04.2018 until 15.03.2028 / 18-0058-GEA
Gültigkeit / AZ

15.03.2018 Rie A-1/2

Date, Issued by, Sheet, Head of Certification Body
Datum, Bearbeiter, Blatt, Leiter der Zertifizierungsstelle

DVGW CERT GmbH is an accredited body by DAkkS according to DIN EN ISO/IEC 17065:2013 and notified by the government of the Federal Republic of Germany for certification of gas appliances under EU Regulation

DVGW CERT GmbH ist von der DAkkS nach DIN EN ISO/IEC 17065:2013 akkreditierte und von der Deutschen Bundesregierung benannte Stelle für die Zertifizierung von Gasgeräten gemäß EU-Verordnung EU/2016/426.



Deutsche
Akkreditierungsstelle
D-ZE-16028-01-01

DVGW CERT GmbH
Zertifizierungsstelle

Josef-Wirmer-Str. 1-3
53123 Bonn

Tel. +49 228 91 88 - 888
Fax +49 228 91 88 - 993

www.dvgw-cert.com
info@dvgw-cert.com

Elektrical Data 230 V AC, 50 Hz, IP40
Elektrische Daten

Appliance Categories <i>Geräte Kategorien</i>	Supply Pressures <i>Versorgungsdrücke</i>	Countries of Destination <i>Bestimmungsländer</i>	Remarks <i>Bemerkungen</i>
I2E(R)	8,1-360 mbar	BE	
I2H	8,1-360 mbar	LV	
I3B/P	12,1-360 mbar	CY, MT	
I3P	12,1-360 mbar	BE	
II2E3B/P	8,1-360, 12,1-360 mbar	LU, PL	
II2EK3B/P	8,1-360, 12,1-360 mbar	NL	
II2ELL3B/P	8,1-360, 12,1-360 mbar	DE	
II2Er3P	8,1-360, 12,1-360 mbar	FR	
II2H3	8,1-360, 12,1-360 mbar	ES, GB, IE, IT, PT	
II2H3B/P	8,1-360, 12,1-360 mbar	AT, CH, CZ, DK, EE, FI, GR, HU, IS, LT, NO, SE, TR	

Type <i>Typ</i>	Technical Data <i>Technische Daten</i>	Remarks <i>Bemerkungen</i>
915 M, BS 1/M	supply pressure: 8,1-360 (G20); 11,1-360 (G25); 12,1-360 /G30/G31) mbar nominal heat input (Hi): 16 ... 52 kW	
916 M, BS 2/M	supply pressure: 37,2-500 (G20); 56,8-500 (G25) mbar heat input - natural gas (Hi): 26...91 kW heat input - LPG (Hi): 30...93 kW	
917 M, BS 3/M	supply pressure: 13,0-100 (G20); 18,4-100 (G25); 14,5-100 (G30/G31) mbar heat input - natural gas (Hi): 48...195 kW heat input - LPG (Hi): 52...200 kW	
918 M, BS 4/M	supply pressure: 11,5-100 (G20); 16,5-100 (G25); 12,3-100 (G30/G31) mbar heat input - natural gas (Hi): 68...250 kW heat input - LPG (Hi): 68...255 kW	

Hints of Utilization /Remarks

Verwendungshinweise / Bemerkungen

Further applicable Type test reports:

B-G 1041-05/18, B-G 1042-07/18 and B-G 1805-01/18 dated 26.01.2018

Additional proved countries of destination, appliance categories and supply pressures:

II2R3R (8,1-360 mbar): AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MT, NL, NO, PL, PT, RO, SE, SI, SK, TR

DVGW